

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/14/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155324	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 08/12/2014
NAME OF PROVIDER OR SUPPLIER MITCHELL MANOR			STREET ADDRESS, CITY, STATE, ZIP CODE 24 TEKE BURTON DR MITCHELL, IN 47446		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00153853.</p> <p>Complaint IN00153853 Unsubstantiated - due to lack of evidence.</p> <p>Survey date: August 12, 2014</p> <p>Facility number: 000217 Provider number: 155324 AIM number: 1590002</p> <p>Survey team: Susan Worsham, RN, TC</p> <p>Census bed type: SNF/NF:55 Total: 55</p> <p>Census payor type: Medicare: 10 Medicaid: 37 Other: 8 Total: 55</p> <p>Sample: 03</p> <p>Mitchell Manor was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2 - 3.1 in regards to the Investigation of Complaint IN00153853.</p> <p>Quality Review 08/13/14 by Lisa McColly</p>	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.